

© Goodshoot

Meditation

a B c ~

?

L a b c d e f g h i j k l m n o p q r s t u v w x y z

W a b c d e f g h i j k l m n o p q r s t u v w x y z

W a b c d e f g h i j k l m n o p q r s t u v w x y z

L a b c d e f g h i j k l m n o p q r s t u v w x y z

() a b c d e f g h i j k l m n o p q r s t u v w x y z



() a b c d e f g h i j k l m n o p q r s t u v w x y z

M


a S Sa A a

L


A

M**r****A****r**

M



M



Barrett B, Hayney MS, Muller D, et al. Meditation or exercise for preventing acute respiratory infection: a randomized controlled trial. *Annals of Family Medicine*. 2012;10:337-346.

Brewer JA, Mallik S, Babuscio TA, et al. MiEl5.7(a)-4.1(..7(a)lrg-0.002Tc 0 Tw TEMCs1..7M35)(f)3.5(o)4.7(r)TjtegOrsfoe i7x.4(R5e)-7(pTw 15EMC P 9a)1

M

Ong JC, Manber R, Segal Z, et al. A randomized controlled trial of mindfulness meditation for chronic insomnia. *Sleep*. 2014;37(9):1553-1563.

Reiner K, Tibi L, Lipsitz JD. Do mindfulness-based interventions reduce pain intensity? A critical review of the literature. *Pain Medicine*. 2013;14:230-242.

Rosenkranz M, Davidson RJ, MacCoon D, et al. A comparison of mindfulness-based stress reduction and an active control in modulation of neurogenic inflammation. *Brain, Behavior, and Immunity*. 2013;27(1):174-184.

